L Number	Hits	Search Text	DB	Time stamp
1	1	5592493.pn.	USPAT;	2004/04/26 17:33
			US-PGPUB;	
			IBM_TDB	
-	1986	(714/726 or 714/727 or 714/724).ccls.	USPAT;	2004/04/26 11:38
			US-PGPUB	
-	1755	((714/726 or 714/727 or 714/724).ccls.) and @ad<20011022	USPAT;	2004/04/26 11:39
			US-PGPUB	
-	1355	(((714/726 or 714/727 or 714/724).ccls.) and @ad<20011022)	USPAT;	2004/04/26 11:39
	700	and test\$3.ab.	US-PGPUB	0004/04/0044
-	726	((((714/726 or 714/727 or 714/724).ccls.) and	USPAT; US-PGPUB	2004/04/26 11:40
	635	@ad<20011022) and test\$3.ab.) and (test with pattern) (((((714/726 or 714/727 or 714/724).ccls.) and	USPAT:	2004/04/26 11:40
-	033	@ad<20011022) and test\$3.ab.) and (test with pattern)) and	US-PGPUB	2004/04/20 11.40
		(register or latch or (flip with flop))	00-1 01 00	
-	130	(((((((714/726 or 714/727 or 714/724).ccls.) and	USPAT;	2004/04/26 13:32
		@ad<20011022) and test\$3.ab.) and (test with pattern)) and	US-PGPUB	200 110 1120 10:02
		(register or latch or (flip with flop))) and (state with machine)		
-	1	10/039,852	USPAT;	2004/04/26 14:25
		·	US-PGPUB	
-	68194	test\$3.ab.	USPAT;	2004/04/26 14:58
			US-PGPUB	
-	10456	test\$3.ab. and (test with pattern)	USPAT;	2004/04/26 15:09
	4500	(4. 100 -1 - 176 -	US-PGPUB	0004/04/0045 00
•	4569	(test\$3.ab. and (test with pattern)) and (register or latch or (flip	USPAT;	2004/04/26 15:09
	700	with flop)) ((test\$3.ab. and (test with pattern)) and (register or latch or	US-PGPUB	2004/04/26 45:40
-	708	((test\$3.ab. and (test with pattern)) and (register or latch or (flip with flop))) and (state with machine)	USPAT; US-PGPUB	2004/04/26 15:10
_	603	(((test\$3.ab. and (test with pattern)) and (register or latch or	USPAT;	2004/04/26 15:10
-	003	((flip with flop))) and (state with machine)) and @ad<20011022	US-PGPUB	2004/04/20 13.10
_	286	((((test\$3.ab. and (test with pattern)) and (register or latch or	USPAT:	2004/04/26 15:10
	200	(flip with flop))) and (state with machine)) and @ad<20011022)	US-PGPUB	
		and (multiplex\$3 with input)		
-	255	(((((test\$3.ab. and (test with pattern)) and (register or latch or	USPAT;	2004/04/26 15:11
		(flip with flop))) and (state with machine)) and @ad<20011022)	US-PGPUB	
		and (multiplex\$3 with input)) and (multiplex\$3 with out\$3)		
-	0	(((((test\$3.ab. and (test with pattern)) and (register or latch or	IBM_TDB	2004/04/26 14:57
		(flip with flop))) and (state with machine)) and @ad<20011022)		
	•	and (multiplex\$3 with input)) and (multiplex\$3 with out\$3)	IDM TOD	2004/04/20 44:50
-	0 672	test\$3.ab. (test with pattern)	IBM_TDB IBM_TDB	2004/04/26 14:58
_	14	(test with pattern) and (multiplex\$3 with input)	IBM_TDB	2004/04/26 15:07
	998565	test\$3 and(not(boundary with scan))	USPAT;	2004/04/26 15:08
	000000	tootho arra(not(boarnaar) mar boarny)	US-PGPUB	200 1/0 1/20 10:00
-	68194	test\$3.ab.	USPAT;	2004/04/26 15:08
			US-PGPUB	
-	68194	test\$3.ab. and test\$3.ab.	USPAT;	2004/04/26 15:09
			US-PGPUB	
-	67104	(test\$3 and(not(boundary with scan))) and test\$3.ab.	USPAT;	2004/04/26 15:09
	0050	//b=400 ==d/=4/b===d=====	US-PGPUB	0004/04/00 45:00
-	9850	((test\$3 and(not(boundary with scan))) and test\$3.ab.) and	USPAT;	2004/04/26 15:09
	4020	(test with pattern) (((test\$3 and(not(boundary with scan))) and test\$3.ab.) and	US-PGPUB USPAT;	2004/04/26 15:10
-	4020	((test with pattern)) and (register or latch or (flip with flop))	US-PGPUB	2007/04/20 13.10
	513	((((test\$3 and(not(boundary with scan))) and test\$3.ab.) and	USPAT;	2004/04/26 15:10
	3.3	(test with pattern)) and (register or latch or (flip with flop))) and	US-PGPUB	====
		(state with machine)		
-	218	(((((test\$3 and(not(boundary with scan))) and test\$3.ab.) and	USPAT;	2004/04/26 15:10
		(test with pattern)) and (register or latch or (flip with flop))) and	US-PGPUB	
		(state with machine)) and (multiplex\$3 with input)		
-	185	((((((test\$3 and(not(boundary with scan))) and test\$3.ab.) and	USPAT;	2004/04/26 15:10
		(test with pattern)) and (register or latch or (flip with flop))) and	US-PGPUB	
]		(state with machine)) and (multiplex\$3 with input)) and		
		@ad<20011022	L	

	-	0	((((((((test\$3 and(not(boundary with scan))) and test\$3.ab.) and (test with pattern)) and (register or latch or (flip with flop)))	USPAT; US-PGPUB	2004/04/26 15:11
			and (state with machine)) and (multiplex\$3 with input)) and @ad<20011022) and (multiplex\$3 with out\$3)) and (not	:	
			((((((test\$3.ab. and (test with pattern)) and (register or latch or (flip with flop))) and (state with machine)) and @ad<20011022)		
	-	160	and (multiplex\$3 with input)) and (multiplex\$3 with out\$3))) (((((((test\$3 and(not(boundary with scan))) and test\$3.ab.) and	USPAT;	2004/04/26 15:13
			(test with pattern)) and (register or latch or (flip with flop))) and (state with machine)) and (multiplex\$3 with input)) and @ad<20011022) and (multiplex\$3 with out\$3)	US-PGPUB	
	-	127	((((((((test\$3 and(not(boundary with scan))) and test\$3.ab.) and (test with pattern)) and (register or latch or (flip with flop)))	USPAT; US-PGPUB	2004/04/26 15:14
			and (state with machine)) and (multiplex\$3 with input)) and @ad<20011022) and (multiplex\$3 with out\$3)) and (not(tap))		
	-	60	(((((((((test\$3 and(not(boundary with scan))) and test\$3.ab.) and (test with pattern)) and (register or latch or (flip with flop)))	USPAT; US-PGPUB	2004/04/26 15:20
			and (state with machine)) and (multiplex\$3 with input)) and @ad<20011022) and (multiplex\$3 with out\$3)) and (not(tap)))		
	-	22442	and (not scan) chip with test\$3	USPAT; US-PGPUB	2004/04/26 15:20
	-	3644	(chip with test\$3) and register with input	USPAT; US-PGPUB;	2004/04/26 15:22
	-	2448	((chip with test\$3) and register with input) and multiplex\$3	IBM_TDB USPAT;	2004/04/26 15:22
				US-PGPUB; IBM_TDB	
	-	2307	(((chip with test\$3) and register with input) and multiplex\$3) and (state machine)	USPAT; US-PGPUB; IBM_TDB	2004/04/26 15:23
	-	924	((((chip with test\$3) and register with input) and multiplex\$3) and (state machine)) and (test with pattern)	USPAT; US-PGPUB; IBM_TDB	2004/04/26 15:23
	-	540	(((((chip with test\$3) and register with input) and multiplex\$3) and (state machine)) and (test with pattern)) and (not(tap or	USPAT; US-PGPUB;	2004/04/26 15:24
	-	209	jtag)) ((((((chip with test\$3) and register with input) and multiplex\$3) and (state machine)) and (test with pattern)) and (not(tap or	IBM_TDB USPAT; US-PGPUB;	2004/04/26 15:24
	-	148	jtag))) and (not(boundary or scan)) (((((((chip with test\$3) and register with input) and multiplex\$3) and (state machine)) and (test with pattern)) and (not(tap or jtag))) and (not(boundary or scan))) and (multiplex\$3 with	IBM_TDB USPAT; US-PGPUB; IBM_TDB	2004/04/26 15:25
	-	126	input) (((((((chip with test\$3) and register with input) and multiplex\$3) and (state machine)) and (test with pattern)) and	USPAT; US-PGPUB;	2004/04/26 15:25
l			(not(tap or jtag))) and (not(boundary or scan))) and (multiplex\$3 with input)) and (multiplex\$3 with output)	IBM_TDB	
	-	105	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB;	2004/04/26 15:26
			(not(tap or jtag))) and (not(boundary or scan))) and (multiplex\$3 with input)) and (multiplex\$3 with output)) and	IBM_TDB	
	-	115	@ad<20011022 (((((((((((((((((((((((((((((((USPAT; US-PGPUB;	2004/04/26 15:26
			(not(tap or jtag))) and (not(boundary or scan))) and	IBM_TDB	
			(multiplex\$3 with input)) and (multiplex\$3 with output)) and (not (((((((test\$3 and(not(boundary with scan))) and test\$3.ab.)		
			and (test with pattern)) and (register or latch or (flip with flop))) and (state with machine)) and (multiplex\$3 with input)) and		
l			@ad<20011022))		L

-	94	((((((((((((((((((((((((((((((((((((((USPAT;	2004/04/26 17:33
		multiplex\$3) and (state machine)) and (test with pattern)) and	US-PGPUB;	
		(not(tap or jtag))) and (not(boundary or scan))) and	IBM_TDB	
		(multiplex\$3 with input)) and (multiplex\$3 with output)) and	_	,
		@ad<20011022) and (not ((((((test\$3 and(not(boundary with		
		scan))) and test\$3.ab.) and (test with pattern)) and (register or		
		latch or (flip with flop))) and (state with machine)) and		
		(multiplex\$3 with input)) and @ad<20011022))		Į.